

CODAP® Division 1 : 2010 - Volume 1a - Contents		Pages
Part G	GENERAL	
G1	Purpose and scope of CODAP® Division 1 : 2010	1
G2	Regulations	2
G3	Structure of CODAP® Division 1 : 2010	3
G3.1	Part G - General	3
G3.2	Part M - Materials	3
G3.3	Part C - Design and Calculations	3
G3.4	Part F - Fabrication	3
G3.5	Part CE - Testing - Proof tests - Inspection	3
G3.6	<i>Not allocated in this Division</i>	3
G3.7	<i>Not allocated in this Division</i>	3
G3.8	Annexes	3
G3.9	Protecting devices against overpressure	3
G3.10	References	3
G4	Modes of failure	4
G5	Construction categories	5
G5.1	General	5
G5.2	Selection of the construction category	5
Annex GA1	Definitions (Mandatory annex)	7
Annex GA2	Technical construction data (Mandatory annex)	15
Annex GA3	Correspondence between the requirements of the standard ISO 16528 and the requirements of CODAP® Division 1 : 2010 (Informative annex)	19
Annex GA4	Application of CODAP® Division 1 : 2010 to pressure vessels not subject to particular regulations (Mandatory annex)	35
Annex GA5 1 st Part	Application of CODAP® Division 1 : 2010 to pressure vessels subject to the essential safety requirements of the <i>European Pressure Equipment Directive 97/23/EC</i> and of its transposition into national laws (Mandatory annex)	47
Annex GA5 2 nd Part	European Pressure Equipment Directive 97/23/EC	97
Annex GA5 3 rd Part	Decree 99-1046 of 13/12/1999 modified and orders of 13 & 21/12/1999	127
Annex GA5 4 th Part	Interpretation forms (CLAP)	141
Annex GA6	Recommendations relating to application of CODAP® Division 1 : 2010 to pressure vessels subject to the requirements of the Chinese regulations (Non-mandatory annex)	163
Annex GA7	Recommendations relating to application of CODAP® Division 1 : 2010 to pressure vessels subject to the requirements of the Russian regulations (Non-mandatory annex)	173

(to be continued)

CODAP® Division 1 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS	
M1	Ferrous materials	1001
M1.1	Scope	1001
M1.2	Selection of materials	1001
M1.3	Materials permitted by this Division	1003
M1.4	Drawing-up of a purchase order	1004
M1.5	Supply	1004
M1.6	Product identification and marking	1005
M2	Carbon and carbon-manganese steels, low alloy steels and alloy steels	1007
M2.1	Scope	1007
M2.2	Grades and specific requirements	1007
M3	Austenitic stainless steels	1173
M3.1	Scope	1173
M3.2	Grades and specific requirements	1173
M4 to M10	<i>Not allocated in this Division</i>	-

(to be continued)

CODAP® Division 1 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS (continued)	
M11	Non-ferrous materials	1501
M11.1	Scope	1501
M11.2	Selection of materials	1501
M11.3	Materials permitted by this Division	1503
M11.4	Drawing-up of a purchase order	1504
M11.5	Supply	1504
M11.6	Product identification and marking	1505
M12	<i>Not allocated in this Division</i>	-
M13	Aluminium and aluminium alloys	1521
M13.1	Scope	1521
M13.2	Grades and specific requirements	1521
M14	<i>Not allocated in this Division</i>	-
M15	Copper and copper alloys	1563
M15.1	Scope	1563
M15.2	Grades and specific requirements	1563
M16 to M20	<i>Not allocated in this Division</i>	-

(to be continued)

CODAP® Division 1 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS (continued)	
M21	Supports	1751
M21.1	Scope	1751
M21.2	Selection of materials	1751
M21.3	Materials recommended in this Division	1751
M22	Bolting	1777
M22.1	Scope	1777
M22.2	Steel grade selection	1793
M22.3	General provisions	1794
M22.4	Delivery conditions	1794
M22.5	Special case of claw bolts	1795
M23	Welding consumables	1797
M23.1	Scope	1797
M23.2	General	1797
M23.3	Purchase orders for welding gases	1797
M23.4	Purchase orders for filler products	1798
M23.5	Acceptance of batches, tests and checking	1798
M23.6	Reference documents	1799

(to be continued)

CODAP® Division 1 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	Materials (continued)	
Annex MA1	Mechanical properties of metallic materials (Informative Annex)	2001
Annex MA2	Prevention of risk of brittle fracture (Mandatory Annex)	2019
Annex MA3	Modes of degradation of metallic materials (Informative annex).	2047
Annex MA4	<i>not allocated in Division</i>	-
Annex MA5	Product specification (Non-mandatory annex)	2061
Annex MA6	Product data sheets (Mandatory annex)	2073
Annexes MA7 to MA8	<i>Not allocated in this Division</i>	-
Annex MA9	Repairs of surface defects on rolled or wrought products and on castings (Non-mandatory annex)	2595
Annex MA10	<i>Not allocated in this Division</i>	-

CODAP® Division 1 : 2010 - Volume 1b

Not allocated in this Division

(to be continued)

CODAP® Division 1 : 2010 - Volume 2a - Contents		Pages
PART C	DESIGN AND CALCULATIONS	
C1	General	3001
C1.1	General	3001
C1.2	Design pressure	3005
C1.3	Design temperature	3007
C1.4	Loadings other than pressure	3008
C1.5	Prevention of failure by fatigue cracking	3010
C1.6	Material properties to be used in the design rules	3011
C1.7	Nominal design stress	3014
C1.8	Welded joint coefficient	3014
C1.9	Thicknesses, concepts and definitions	3014
C1.10	General notation - Units - Tolerances	3016
Annex C1.A1	<i>Not allocated in this Division</i>	3017
Annex C1.A2	Recommendations for taking account of climatic and seismic loads (Non-mandatory annex)	3023
C2	Calculation rules for cylindrical, spherical and conical shells subjected to internal pressure	3025
C2.1	Cylindrical shells of circular cross-section	3025
C2.2	Spherical shells	3027
C2.3	Conical shells of circular cross-section	3028
Annex C2.A1	Example: Junction between the large end of a conical shell and a cylindrical shell with an intermediate knuckle of toroidal form (Non-mandatory annex)	3047
Annex C2.A2	Example: junction between the small end of a conical shell and a cylindrical shell, without an intermediate knuckle (Non-mandatory annex)	3053
C3	Calculation rules for ends subjected to internal pressure	3059
C3.1	Domed ends	3059
C3.2	Welded circular flat ends	3073
C3.3	Bolted circular flat ends	3084
C3.4	Spherically domed and bolted ends	3096

(to be continued)

CODAP® Division 1 : 2010 - Volume 2a - Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C4	Calculation rules for cylindrical, spherical and conical shells and for domed ends subjected to external pressure	3109
C4.1	General	3109
C4.2	Calculation rules under external pressure	3109
C4.3	<i>Not allocated in this Division</i>	3200
Annex C4.A1	Design of stiffeners (Mandatory annex)	3271
Annex C4.A2	Measurement of the radius of cylindrical shells subjected to external pressure (Non-mandatory annex)	3275
Annex C4.A3	<i>Not allocated in this Division</i>	3277
Annex C4.A4	<i>Not allocated in this Division</i>	3279
Annex C4.A5	<i>Not allocated in this Division</i>	3283
Annex C4.A6	<i>Not allocated in this Division</i>	3329
C5	Calculation rules for shells with openings	3351
C5.1	Cylindrical, spherical and conical shells and domed ends with isolated openings, subject to internal pressure	3351
C5.2	Cylindrical, spherical and conical shells and domed ends with adjacent openings, subject to internal pressure	3375
C5.3	Local reinforcement of an opening fitted with a branch in a circular flat end, subject to internal pressure	3386

(to be continued)

CODAP® Division 1 : 2010 - Volume 2a Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C6	Bolted flanged connections subjected to internal pressure	3391
C6.1	Flanged connections with gasket entirely within the circle enclosed by the bolt holes - Loading conditions to be considered - Gasket characteristics - Checking of the bolting	3391
Annex C6.1.A1	Flanged connection between two compartments of a same vessel with gaskets entirely within the circle enclosed by the bolt holes (Mandatory annex)	3397
Annex C6.1.A2	Flanged connections with elastomer or metallic hollow ring-type gaskets (Mandatory annex)	3399
C6.2	Flanges with gaskets entirely within the circle enclosed by the bolt holes	3401
Annex C6.2.A1	Split loose flanges (Mandatory annex)	3417
Annex C6.2.A2	Connections by means of claw bolts or tilting bolts (Mandatory annex)	3421
Annex C6.2.A3	Seal-welded connections (Mandatory annex)	3425
C6.3	Reverse flanges with gasket entirely within the circle enclosed by the bolt holes	3427
C6.4	Flanged connections with gasket contact area both inside and outside the bolt circle - loading conditions to be considered - characteristics of the gasket - checking of the bolting	3442
C6.5	Full-faced flanges	3446
C6.6	Reverse full-faced flanges	3455
C6.7	Flanged connections with metal-to-metal contact both inside and outside the bolt circle - Loading conditions to be considered - characteristics of the gasket - checking of the bolting	3463
C6.8	Flanges with metal-to-metal contact both inside and outside the bolt circle	3468
C6.9	Reverse flanges with metal-to-metal contact both inside and outside the bolt circle	3476
Annex C6.A1	Use of standard flange connections (Informative annex)	3485
Annex C6.A2	Gasket factor and gasket seating pressure (Informative annex)	3487
Annex C6.A3	Coefficients β_{FL} , β_{VL} , β_F , β_V , φ , β_T , β_U and β_Y used in the flange design (Mandatory annex)	3495
Annex C6.A4	Characteristics of the metric threading bolting with V-thread to Iso profile (Informative annex)	3505
Annex C6.A5	Bolted flanged connections subjected to internal pressure and to other loadings (Informative annex)	3507
Annex C6.A6	<i>Not allocated in this Division</i>	3509
Annex C6.A7	<i>Not allocated in this Division</i>	3599

(to be continued)

CODAP® Division 1 : 2010 - Volume 2b - Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C7	Calculation rules for tubesheet heat exchangers	3697
C7.1	Special provisions applicable to heat exchangers	3697
C7.2	U-tube heat exchangers	3712
C7.3	Fixed tubesheet heat exchangers	3724
C7.4	Heat exchangers with a stationary tubesheet and a floating tubesheet	3739
Annex C7.A1	Terminology for tubesheet heat exchangers (Informative annex)	3761
Annex C7.A2	Tubesheet characteristics (Mandatory annex)	3765
Annex C7.A3	Allowable longitudinal membrane stress in heat exchanger tubes (Mandatory annex)	3773
Annex C7.A4	Tubesheet extended as a flange for bolting, with gasket lying inside the bolt circle (Mandatory annex)	3777
Annex C7.A5	Tubesheets extended as a flange for bolting with full-face gasket (Mandatory annex)	3783
Annex C7.A6	Coefficients for the calculation of heat exchangers with two tubesheets (Mandatory annex)	3787
Annex C7.A7	Determination of the loading conditions to be considered for the design of fixed tubesheet heat exchangers (Informative annex)	3797
Annex C7.A8	Special tube-to-tubesheet welded joints (Mandatory annex)	3801
Annex C7.A9	Exchangers with externally sealed floating tubesheets (Mandatory annex)	3805
Annex C7.A10	Tubesheets extended as a flange with metal to metal contact both inside and outside the bolt circle (Mandatory annex)	3807
Annex C7.A11	Flow induced vibration of exchanger tubes (Non-mandatory annex)	3813
Annex C7.A12	Examples of application of the rules of Annex C7.A11 (Non-mandatory annex)	3837
C8	Calculation rules for expansion joint bellows	3879
C8.1	General	3879
C8.2	U-shaped unreinforced bellows	3885
C8.3	U-shaped reinforced bellows	3894
C8.4	Toroidal bellows	3902
Annex C8.A1	Coefficients C_P , C_F , C_D for calculation of U-shaped bellows (Mandatory annex)	3909
Annex C8.A2	Bellows subjected to axial, lateral or angular movements at their ends (Mandatory annex)	3915

(to be continued)

CODAP® Division 1 : 2010 - Volume 2b - Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C9	Additional loads other than pressure	3919
C9.1	Cylindrical, spherical and conical shells subjected to internal pressure and to global loads	3919
C9.2	Line loads	3923
C9.3	Horizontal cylindrical vessel supported by saddle supports or ring supports	3928
C9.4	Vertical vessels supported by bracket supports	3975
C9.5	Vertical vessels on supporting legs	3983
C9.6	Lifting lugs	3986
C9.7	Vertical vessels on skirt supports	3997
C9.8	Openings subjected to internal pressure and to external loads applied to the branch	4023
Annex C9.A1	Calculation of moments and shear force for cylindrical horizontal tank resting on two saddles (Non-mandatory annex)	4121
Annex C9.A2	Coefficient K_1 to K_{11} (Mandatory annex)	4123
Annex C9.A3	Calculation of the loads to which the shell is subjected (Non-mandatory annex)	4125
Annex C9.A4	Maximum allowable values for global loads (Mandatory annex)	4129
Annex C9.A5	Inertia characteristics of the cross-section of ring support or stiffening ring (Non-mandatory annex)	4133
Annex C9.A6	Calculation of the values of coefficients C_{ij} used in skirt support calculation (Mandatory annex)	4137
Annex C9.A7	Calculation of the characteristics of a skirt section weakened by one or more openings (Mandatory annex)	4183
Annex C9.A8	Examples of application of the rules of Section C9 (Non-mandatory annex)	4187
C10	<i>Not allocated in this Division</i>	4235

(to be continued)

CODAP® Division 1 : 2010 - Volume 2b - Contents (continued) **Pages**

PART C DESIGN AND CALCULATIONS (continued)

C11	Acceptability of variables loadings - Fatigue analysis	4297
C11.1	General –Acceptability of variable loadings	4297
C11.2	Simplified fatigue analysis	4311
C11.3	<i>Not allocated in this Division</i>	4335
Annex C11.A1	Alternative rule for the determination of the structural-stress range in an opening region in a cylindrical or spherical shell (Informative annex)	4405
Annex C11.A2	Classification of welded joints according to fatigue strength (Mandatory annex)	4409
Annex C11.A3	Assessment of allowable additional fluctuating thermal loadings (Informative annex)	4421
Annex C11.A4	<i>Not allocated in this Division</i>	4423
Annex C11.A5	<i>Not allocated in this Division</i>	4429
Annex C11.A6	Stress intensifications due to shape imperfections at butt welded joints (Mandatory annex)	4435
Annex C11.A7	Identification and counting of elementary load or stress cycles (Mandatory annex)	4445
Annex C11.A8	Assessment of thermal effects under transient conditions (Informative annex)	4449
Annex C11.A9	Example: Simplified analysis of a vessel subjected to variable pressure loadings (Non-mandatory annex)	4455
Annex C11.A10	<i>Not allocated in this Division</i>	4495
C12	Calculations rules for jacketed shells	4579
C12.1	Jacketed cylindrical shells with jacket constituted by heating/cooling channels	4579

|
T
|
10/12

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents		Pages
Part F	FABRICATION	
F1	Ferrous materials	5001
F1.1	Scope	5001
F1.2	Materials	5001
F1.3	Design of welded joints	5001
F1.4	Joining by welding and joining by roller expanding	5004
F1.5	Tolerances	5008
F1.6	Surface treatments	5016
F1.7	Finishing operations	5016
F2	Carbon and carbon-manganese steels, low alloy steels and alloy steels	5019
F2.1	Scope	5019
F2.2	Materials	5019
F2.3	Cutting	5019
F2.4	Plate forming	5020
F2.5	Tube bending	5024
F2.6	Welding	5026
F2.7	Heat treatments	5028
F2.8	Finishing operations	5034
F3	Austenitic stainless steels	5035
F3.1	Scope	5035
F3.2	Materials	5035
F3.3	Precautions specific to austenitic stainless steels	5035
F3.4	Cutting	5035
F3.5	Plate forming and tube bending	5036
F3.6	Welding	5038
F3.7	Heat treatments	5038
F3.8	Finishing operations	5041
F3.9	Quality of the waters to be used	5042

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Content (continued)

Pages

Part F	FABRICATION (continued)	
F4	<i>Not allocated in this Division</i>	-
F5	<i>Not allocated in this Division</i>	-
F6	<i>Not allocated in this Division</i>	-
F7 to F10	<i>Not allocated in this Division</i>	-

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents (continued)		Pages
Part F	FABRICATION (continued)	
F11	Non-ferrous metallic materials	5501
F11.1	Scope	5501
F11.2	Materials	5501
F11.3	Design of welded joints	5501
F11.4	Joining by welding and joining by roller expanding	5504
F11.5	Tolerances	5507
F11.6	Surface treatment	5507
F11.7	Finishing operations	5507
F12	<i>Not allocated in this Division</i>	-
F13	Aluminium and aluminium alloys	5519
F13.1	Scope	5519
F13.2	Materials	5519
F13.3	Precautions specific to aluminium and aluminium alloys	5519
F13.4	Cutting	5519
F13.5	Plate forming and tube bending	5520
F13.6	Welding	5521
F13.7	Heat treatments	5522
F13.8	Finishing operations	5523
F13.9	Quality of the waters to be used	5524

|
T
10/12
|

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents (continued)		Pages	
Part F	FABRICATION (continued)		
F14	<i>Not allocated in this Division</i>	-	 T 10/12
F15	Copper and copper alloys	5533	
F15.1	Scope	5533	
F15.2	Materials	5533	
F15.3	Special precautions for processing	5533	
F15.4	Cutting	5533	
F15.5	Plate forming	5534	
F15.6	Tube bending	5536	
F15.7	Welding	5537	
F15.8	Heat treatments	5537	
F15.9	Finishing operations	5540	
F15.10	Quality of waters to be used	5541	
F16 to F19	<i>Not allocated in this Division</i>	-	
F20	Particular provisions relating to the construction of tubesheet heat exchangers	5543	
F20.1	Scope	5543	
F20.2	Construction provisions	5543	
F20.3	Fabrication	5546	

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents (continued)

Pages

Part F FABRICATION (continued)

Annex FA1	Design of welded joints (Non-mandatory annex)	6001
Annex FA2	Weldability of the different material grades (Informative annex)	6063
Annex FA3	Procedures applicable to welding operations (Mandatory annex)	6221
Annex FA4	<i>Not allocated in this Division</i>	6225
Annex FA5	Qualification of roller expanding procedures (Mandatory annex)	6257
Annex FA6	Qualified roller expanding procedures (Non-mandatory annex)	6263
Annex FA7	Effect of post-weld heat treatment on the mechanical properties of non-alloy, low-alloy and alloy steels (Non-mandatory annex)	6293
Annex FA8	<i>Not allocated in this Division</i>	-
Annex FA9	Expansion joint bellows (Mandatory annex)	6307
Annex FA10	<i>Not allocated in this Division</i>	-

|
T
10/12
|

|
T
10/12
|

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents (continued)		Pages
Part CE	TESTING - PROOF TESTS - INSPECTION	
CE1	TESTING	7001
CE1.1	General	7001
CE1.2	Testing of welded joints on production test coupons	7001
CE1.3	Non-destructive testing	7007
CE1.4	<i>Not allocated in this Division</i>	7009
CE1.5	Supplementary checking	7010
CE2	PROOF TESTS	7011
CE2.1	Strength test	7011
CE2.2	Marking	7015
CE2.3	Supplementary tests	7015
CE2.4	Final checking	7016
CE2.5	Files to be prepared	7016
CE3	INSPECTION	7021
CE3.1	General	7021
CE3.2	Construction supervision	7021

(to be continued)

CODAP® Division 1 : 2010 - Volume 3 - Contents (continued)		Pages
Part CE	TESTING - PROOF TESTS - INSPECTION (continued)	
Annex CEA1	Non-destructive testing of welded joints (Mandatory annex)	7501
Annex CEA2	Visual examination (Mandatory annex)	7563
Annex CEA3	Liquid penetrant testing (Mandatory annex)	7567
Annex CEA4	Magnetic particle testing (Mandatory annex)	7569
Annex CEA5	Radiographic testing (Mandatory annex)	7571
Annex CEA6	Examination by computed radiography with phosphor imaging plates (Non-mandatory annex)	7591
Annex CEA7	Ultrasonic testing (Mandatory annex)	7613
Annex CEA8	Ultrasonic diffraction testing, TOFD technique (Non-mandatory annex)	7515
Annex CEA9	<i>Not allocated in this Division</i>	7635
Annex CEA10	<i>Not allocated in this Division</i>	-
Annex CEA11	<i>Not allocated in this Division</i>	7647
Annex CEA12	Surface condition assessment (Non-mandatory annex)	7669
Annex CEA13	Leak testing (Non-mandatory annex)	7671
Annex CEA14	Calibration (Non-mandatory annex)	7679
Annex CEA15	<i>Not allocated in this Division</i>	-
Annex CEA16	Strength tests on exchangers (Mandatory annex)	7691
Annex CEA17	Recommendations for installation, operation and maintenance of tube exchangers (Non-mandatory annex)	7699
Annex CEA18	Instructions relating to tube exchangers (Non-mandatory annex)	7705

CODAP® Division 2 : 2010 - Volume 1a - Contents		Pages
Part G	GENERAL	
G1	Purpose and scope of CODAP® Division 2 : 2010	1
G2	Regulations	2
G3	Structure of CODAP® Division 2 : 2010	3
G3.1	Part G - General	3
G3.2	Part M - Materials	3
G3.3	Part C - Design and Calculations	3
G3.4	Part F - Fabrication	3
G3.5	Part CE - Testing - Proof tests - Inspection	3
G3.6	<i>Not allocated in this Division</i>	3
G3.7	<i>Not allocated in this Division</i>	3
G3.8	Annexes	3
G3.9	Protecting devices against overpressure	3
G3.10	References	3
G4	Modes of failure	4
G5	Construction categories	5
G5.1	General	5
G5.2	Selection of the construction category	5
Annex GA1	Definitions (Mandatory annex)	7
Annex GA2	Technical construction data (Mandatory annex)	15
Annex GA3	Correspondence between the requirements of the standard ISO 16528 and the requirements of CODAP® Division 2 : 2010 (Informative annex)	19
Annex GA4	Application of CODAP® Division 2 : 2010 to pressure vessels not subject to particular regulations (Mandatory annex)	35
Annex GA5 1 st Part	Application of CODAP® Division 2 : 2010 to pressure vessels subject to the essential safety requirements of the <i>European Pressure Equipment Directive 97/23/EC</i> and of its transposition into national laws (Mandatory annex)	47
Annex GA5 2 nd Part	European Pressure Equipment Directive 97/23/EC	97
Annex GA5 3 rd Part	Decree 99-1046 of 13/12/1999 modified and orders of 13 & 21/12/1999	127
Annex GA5 4 th Part	Interpretation forms (CLAP)	141
Annex GA6	Recommendations relating to application of CODAP® Division 2 : 2010 to pressure vessels subject to the requirements of the Chinese regulations (Non-mandatory annex)	163
Annex GA7	Recommendations relating to application of CODAP® Division 2 : 2010 to pressure vessels subject to the requirements of the Russian regulations (Non-mandatory annex)	173

(to be continued)

CODAP® Division 2 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS	
M1	Ferrous materials	1001
M1.1	Scope	1001
M1.2	Selection of materials	1001
M1.3	Materials permitted by this Division	1003
M1.4	Drawing-up of a purchase order	1004
M1.5	Supply	1004
M1.6	Product identification and marking	1005
M2	Carbon and carbon-manganese steels, low alloy steels and alloy steels	1007
M2.1	Scope	1007
M2.2	Grades and specific requirements	1007
M3	Austenitic stainless steels	1173
M3.1	Scope	1173
M3.2	Grades and specific requirements	1173
M4	Austenitic-ferritic stainless steels	1265
M4.1	Scope	1265
M4.2	Grades and specific requirements	1265
M5	Martensitic stainless steels	1291
M5.1	Scope	1291
M5.2	Grades and specific requirements	1291
M6	Ferritic stainless steels	1305
M6.1	Scope	1305
M6.2	Grades and specific requirements	1305
M7 to M10	<i>Not allocated in this Division</i>	-

CODAP® Division 2 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS (continued)	
M11	Non-ferrous materials	1501
M11.1	Scope	1501
M11.2	Selection of materials	1501
M11.3	Materials permitted by this Division	1503
M11.4	Drawing-up of a purchase order	1504
M11.5	Supply	1504
M11.6	Product identification and marking	1505
M12	Nickel and nickel alloys	1507
M12.1	Scope	1507
M12.2	Grades and specific requirements	1507
M13	Aluminium and aluminium alloys	1521
M13.1	Scope	1521
M13.2	Grades and specific requirements	1521
M14	Titanium and titanium alloys	1537
M14.1	Scope	1537
M14.2	Grades and specific requirements	1537
M15	Copper and copper alloys	1563
M15.1	Scope	1563
M15.2	Grades and specific requirements	1563
M16 to M20	<i>Not allocated in this Division</i>	-

(to be continued)

CODAP® Division 2 : 2010 - Volume 1a - Contents (continued)		Pages
Part M	MATERIALS (continued)	
M21	Supports	1751
M21.1	Scope	1751
M21.2	Selection of materials	1751
M21.3	Materials recommended in this Division	1751
M22	Bolting	1777
M22.1	Scope	1777
M22.2	Steel grade selection	1793
M22.3	General provisions	1794
M22.4	Delivery conditions	1794
M22.5	Special case of claw bolts	1795
M23	Welding consumables	1797
M23.1	Scope	1797
M23.2	General	1797
M23.3	Purchase orders for welding gases	1797
M23.4	Purchase orders for filler products	1798
M23.5	Acceptance of batches, tests and checking	1798
M23.6	Reference documents	1799

(to be continued)

CODAP® Division 2 : 2010 - Volume 1b - Contents		Pages
Part M	Materials (continued)	
Annex MA1	Mechanical properties of metallic materials (Informative Annex)	2001
Annex MA2	Prevention of risk of brittle fracture (Mandatory Annex)	2019
Annex MA3	Modes of degradation of metallic materials (Informative annex).	2047
Annex MA4	<i>not allocated in Division</i>	-
Annex MA5	Product specification (Non-mandatory annex)	2061
Annex MA6	Product data sheets (Mandatory annex)	2073
Annexes MA7 to MA8	<i>Not allocated in this Division</i>	-
Annex MA9	Repairs of surface defects on rolled or wrought products and on castings (Non-mandatory annex)	2595
Annex MA10	Ferrous and non-ferrous material clad steel plates (Non-mandatory annex)	2597

(to be continued)

CODAP® Division 2 : 2010 - Volume 2a - Contents		Pages
PART C	DESIGN AND CALCULATIONS	
C1	General	3001
C1.1	General	3001
C1.2	Design pressure	3005
C1.3	Design temperature	3007
C1.4	Loadings other than pressure	3008
C1.5	Prevention of failure by fatigue cracking	3010
C1.6	Material properties to be used in the design rules	3011
C1.7	Nominal design stress	3014
C1.8	Welded joint coefficient	3014
C1.9	Thicknesses, concepts and definitions	3014
C1.10	General notation - Units - Tolerances	3016
Annex C1.A1	Strength calculation based on real damage by creep in service (Non-mandatory annex)	3017
Annex C1.A2	Recommendations for taking account of climatic and seismic loads (Non-mandatory annex)	3023
C2	Calculation rules for cylindrical, spherical and conical shells subjected to internal pressure	3025
C2.1	Cylindrical shells of circular cross-section	3025
C2.2	Spherical shells	3027
C2.3	Conical shells of circular cross-section	3028
Annex C2.A1	Example: Junction between the large end of a conical shell and a cylindrical shell with an intermediate knuckle of toroidal form (Non-mandatory annex)	3047
Annex C2.A2	Example: junction between the small end of a conical shell and a cylindrical shell, without an intermediate knuckle (Non-mandatory annex)	3053
C3	Calculation rules for ends subjected to internal pressure	3059
C3.1	Domed ends	3059
C3.2	Welded circular flat ends	3073
C3.3	Bolted circular flat ends	3084
C3.4	Spherically domed and bolted ends	3096

(to be continued)

CODAP® Division 2 : 2010 - Volume 2a - Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C4	Calculation rules for cylindrical, spherical and conical shells and for domed ends subjected to external pressure	3109
C4.1	General	3109
C4.2	Calculation rules under external pressure: First method	3109
C4.3	Calculation rules under external pressure: Second method	3200
Annex C4.A1	Design of stiffeners (Mandatory annex)	3271
Annex C4.A2	Measurement of the radius of cylindrical shells subjected to external pressure (Non-mandatory annex)	3275
Annex C4.A3	Calculation procedure for the maximum departure from the mean circle for cylindrical and conical shells (Mandatory annex)	3277
Annex C4.A4	Allowable external pressure for shells which do not meet the circularity tolerance selected at design stage (Mandatory annex)	3279
Annex C4.A5	Examples: Calculation rules under external pressure – Second method (Non-mandatory annexe)	3283
Annex C4.A6	Examples : Allowable external pressure for a shell which does not meet the circularity tolerance selected at design stage (Non-mandatory annex)	3329
C5	Calculation rules for shells with openings	3351
C5.1	Cylindrical, spherical and conical shells and domed ends with isolated openings, subject to internal pressure	3351
C5.2	Cylindrical, spherical and conical shells and domed ends with adjacent openings, subject to internal pressure	3375
C5.3	Local reinforcement of an opening fitted with a branch in a circular flat end, subject to internal pressure	3386

(to be continued)

CODAP® Division 2 : 2010 - Volume 2a - Contents (continued)**Pages**

PART C	DESIGN AND CALCULATIONS (continued)	
C6	Bolted flanged connections subjected to internal pressure	3391
C6.1	Flanged connections with gasket entirely within the circle enclosed by the bolt holes - Loading conditions to be considered - Gasket characteristics - Checking of the bolting	3391
Annex C6.1.A1	Flanged connection between two compartments of a same vessel with gaskets entirely within the circle enclosed by the bolt holes (Mandatory annex)	3397
Annex C6.1.A2	Flanged connections with elastomer or metallic hollow ring-type gaskets (Mandatory annex)	3399
C6.2	Flanges with gaskets entirely within the circle enclosed by the bolt holes	3401
Annex C6.2.A1	Split loose flanges (Mandatory annex)	3417
Annex C6.2.A2	Connections by means of claw bolts or tilting bolts (Mandatory annex)	3421
Annex C6.2.A3	Seal-welded connections (Mandatory annex)	3425
C6.3	Reverse flanges with gasket entirely within the circle enclosed by the bolt holes	3427
C6.4	Flanged connections with gasket contact area both inside and outside the bolt circle - loading conditions to be considered - characteristics of the gasket - checking of the bolting	3442
C6.5	Full-faced flanges	3446
C6.6	Reverse full-faced flanges	3455
C6.7	Flanged connections with metal-to-metal contact both inside and outside the bolt circle - Loading conditions to be considered - characteristics of the gasket - checking of the bolting	3463
C6.8	Flanges with metal-to-metal contact both inside and outside the bolt circle	3468
C6.9	Reverse flanges with metal-to-metal contact both inside and outside the bolt circle	3476
Annex C6.A1	Use of standard flange connections (Informative annex)	3485
Annex C6.A2	Gasket factor and gasket seating pressure (Informative annex)	3487
Annex C6.A3	Coefficients β_{FL} , β_{VL} , β_F , β_V , φ , β_T , β_U and β_Y used in the flange design (Mandatory annex)	3495
Annex C6.A4	Characteristics of the metric threading bolting with V-thread to Iso profile (Informative annex)	3505
Annex C6.A5	Bolted flanged connections subjected to internal pressure and to other loadings (Informative annex)	3507
Annex C6.A6	Alternative method for checking bolted flanged connections (Non-mandatory annex)	3509
Annex C6.A7	Examples: Comparison between the method for checking bolted connections described in Section C6 and the alternative method described in Annex C6.A6 (Non-mandatory annex)	3599

(to be continued)

CODAP® Division 2 : 2010 - Volume 2b - Contents (continued)		Pages
PART C	DESIGN AND CALCULATIONS (continued)	
C7	Calculation rules for tubesheet heat exchangers	3697
C7.1	Special provisions applicable to heat exchangers	3697
C7.2	U-tube heat exchangers	3712
C7.3	Fixed tubesheet heat exchangers	3724
C7.4	Heat exchangers with a stationary tubesheet and a floating tubesheet	3739
C7.5	Fixed tubesheet exchanger - Alternative rules	3755
C7.6	Heat exchangers with a stationary tubesheet and a floating tubesheet - Alternative rules	3759-19
Annex C7.A1	Terminology for tubesheet heat exchangers (Informative annex)	3761
Annex C7.A2	Tubesheet characteristics (Mandatory annex)	3765
Annex C7.A3	Allowable longitudinal membrane stress in heat exchanger tubes (Mandatory annex)	3773
Annex C7.A4	Tubesheet extended as a flange for bolting, with gasket lying inside the bolt circle (Mandatory annex)	3777
Annex C7.A5	Tubesheets extended as a flange for bolting with full-face gasket (Mandatory annex)	3783
Annex C7.A6	Coefficients for the calculation of heat exchangers with two tubesheets (Mandatory annex)	3787
Annex C7.A7	Determination of the loading conditions to be considered for the design of fixed tubesheet heat exchangers (Informative annex)	3797
Annex C7.A8	Special tube-to-tubesheet welded joints (Mandatory annex)	3801
Annex C7.A9	Exchangers with externally sealed floating tubesheets (Mandatory annex)	3805
Annex C7.A10	Tubesheets extended as a flange with metal to metal contact both inside and outside the bolt circle (Mandatory annex)	3807
Annex C7.A11	Flow induced vibration of exchanger tubes (Non-mandatory annex)	3813
Annex C7.A12	Examples of application of the rules of Annex C7.A11 (Non-mandatory annex)	3837
C8	Calculation rules for expansion joint bellows	3879
C8.1	General	3879
C8.2	U-shaped unreinforced bellows	3885
C8.3	U-shaped reinforced bellows	3894
C8.4	Toroidal bellows	3902
Annex C8.A1	Coefficients C_P , C_F , C_D for calculation of U-shaped bellows (Mandatory annex)	3909
Annex C8.A2	Bellows subjected to axial, lateral or angular movements at their ends (Mandatory annex)	3915

|
T
|

10/12

(to be continued)

CODAP® Division 2 : 2010 - Volume 2b - Contents (continued) Pages

PART C DESIGN AND CALCULATIONS (continued)

C9	Additional loads other than pressure	3919
C9.1	Cylindrical, spherical and conical shells subjected to internal pressure and to global loads	3919
C9.2	Line loads	3923
C9.3	Horizontal cylindrical vessel supported by saddle supports or ring supports	3928
C9.4	Vertical vessels supported by bracket supports	3975
C9.5	Vertical vessels on supporting legs	3983
C9.6	Lifting lugs	3986
C9.7	Vertical vessels on skirt supports	3997
C9.8	Openings subjected to internal pressure and to external loads applied to the branch	4023
Annex C9.A1	Calculation of moments and shear force for cylindrical horizontal tank resting on two saddles (Non-mandatory annex)	4121
Annex C9.A2	Coefficient K_1 to K_{11} (Mandatory annex)	4123
Annex C9.A3	Calculation of the loads to which the shell is subjected (Non-mandatory annex)	4125
Annex C9.A4	Maximum allowable values for global loads (Mandatory annex)	4129
Annex C9.A5	Inertia characteristics of the cross-section of ring support or stiffening ring (Non-mandatory annex)	4133
Annex C9.A6	Calculation of the values of coefficients C_{ij} used in skirt support calculation (Mandatory annex)	4137
Annex C9.A7	Calculation of the characteristics of a skirt section weakened by one or more openings (Mandatory annex)	4183
Annex C9.A8	Examples of application of the rules of Section C9 (Non-mandatory annex)	4187
C10	General analysis rules	4235
C10.1	General	4235
C10.2	Checking of the strength by stress analysis	4236
C10.3	Checking of the strength by direct analysis of the modes of failure	4255
Annex C10.A1	Bolting stress analysis (Mandatory annex)	4289
Annex C10.A2	Prevention of incremental collapse from thermal ratchetting (Mandatory annex)	4293
Annex C10.A3	Taking account of the thermal loadings in the rules C10.3 (Mandatory annex)	4295

(to be continued)

CODAP® Division 2 : 2010 - Volume 2b - Contents (continued) Pages

PART C	DESIGN AND CALCULATIONS (continued)	
C11	Acceptability of variables loadings - Fatigue analysis	4297
C11.1	General –Acceptability of variable loadings	4297
C11.2	Simplified fatigue analysis	4311
C11.3	Detailed fatigue analysis	4335
Annex C11.A1	Alternative rule for the determination of the structural-stress range in an opening region in a cylindrical or spherical shell (Informative annex)	4405
Annex C11.A2	Classification of welded joints according to fatigue strength (Mandatory annex)	4409
Annex C11.A3	Assessment of allowable additional fluctuating thermal loadings (Informative annex)	4421
Annex C11.A4	Detailed analysis for bolting (Informative annex)	4423
Annex C11.A5	Classification of welded regions according to fatigue strength (Mandatory annex)	4429
Annex C11.A6	Stress intensifications due to shape imperfections at butt welded joints (Mandatory annex)	4435
Annex C11.A7	Identification and counting of elementary load or stress cycles (Mandatory annex)	4445
Annex C11.A8	Assessment of thermal effects under transient conditions (Informative annex)	4449
Annex C11.A9	Example: Simplified analysis of a vessel subjected to variable pressure loadings (Non-mandatory annex)	4455
Annex C11.A10	Example: Detailed fatigue analysis (Non-mandatory annex)	4495
C12	Calculations rules for jacketed shells	4579
C12.1	Jacketed cylindrical shells with jacket constituted by heating/cooling channels	4579

CODAP® Division 2 : 2010 - Volume 3 - Contents		Pages
Part F	FABRICATION	
F1	Ferrous materials	5001
F1.1	Scope	5001
F1.2	Materials	5001
F1.3	Design of welded joints	5001
F1.4	Joining by welding and joining by roller expanding	5004
F1.5	Tolerances	5008
F1.6	Surface treatments	5016
F1.7	Finishing operations	5016
F2	Carbon and carbon-manganese steels, low alloy steels and alloy steels	5019
F2.1	Scope	5019
F2.2	Materials	5019
F2.3	Cutting	5019
F2.4	Plate forming	5020
F2.5	Tube bending	5024
F2.6	Welding	5026
F2.7	Heat treatments	5028
F2.8	Finishing operations	5034
F3	Austenitic stainless steels	5035
F3.1	Scope	5035
F3.2	Materials	5035
F3.3	Precautions specific to austenitic stainless steels	5035
F3.4	Cutting	5035
F3.5	Plate forming and tube bending	5036
F3.6	Welding	5038
F3.7	Heat treatments	5038
F3.8	Finishing operations	5041
F3.9	Quality of the waters to be used	5042

(to be continued)

CODAP® Division 2 : 2010 - Volume 3 - Content (continued)		Pages
Part F	FABRICATION (continued)	
F4	Austenitic-ferritic stainless steels	5043
F4.1	Scope	5043
F4.2	Materials	5043
F4.3	Precautions specific to austenitic-ferritic stainless steels	5043
F4.4	Cutting	5043
F4.5	Plate forming and tube bending	5043
F4.6	Welding	5046
F4.7	Heat treatments	5046
F4.8	Finishing operations	5048
F4.9	Quality of the waters to be used	5049
F5	Martensitic stainless steels	5051
F5.1	Scope	5051
F5.2	Materials	5051
F5.3	Precautions specific to martensitic stainless steels	5051
F5.4	Cutting	5051
F5.5	Plate forming and tube bending	5052
F5.6	Welding	5054
F5.7	Heat treatments	5055
F5.8	Finishing operations	5057
F5.9	Quality of the waters to be used	5057
F6	Ferritic stainless steels	5059
F6.1	Scope	5059
F6.2	Materials	5059
F6.3	Precautions specific to ferritic stainless steels	5059
F6.4	Cutting	5059
F6.5	Plate forming and tube bending	5060
F6.6	Welding	5062
F6.7	Heat treatments	5063
F6.8	Finishing operations	5065
F6.9	Quality of the waters to be used	5065
F7 to F10	<i>Not allocated in this Division</i>	-

CODAP® Division 2 : 2010 - Volume 3 - Contents (continued)		Pages
Part F	FABRICATION (continued)	
F11	Non-ferrous metallic materials	5501
F11.1	Scope	5501
F11.2	Materials	5501
F11.3	Design of welded joints	5501
F11.4	Joining by welding and joining by roller expanding	5504
F11.5	Tolerances	5507
F11.6	Surface treatment	5507
F11.7	Finishing operations	5507
F12	Nickel and nickel alloys	5509
F12.1	Scope	5509
F12.2	Materials	5509
F12.3	Precautions specific to nickel and nickel alloys	5509
F12.4	Cutting	5509
F12.5	Plate forming and tube bending	5510
F12.6	Welding	5512
F12.7	Heat treatments	5512
F12.8	Finishing operations	5517
F12.9	Quality of the waters to be used	5518
F13	Aluminium and aluminium alloys	5519
F13.1	Scope	5519
F13.2	Materials	5519
F13.3	Precautions specific to aluminium and aluminium alloys	5519
F13.4	Cutting	5519
F13.5	Plate forming and tube bending	5520
F13.6	Welding	5521
F13.7	Heat treatments	5522
F13.8	Finishing operations	5523
F13.9	Quality of the waters to be used	5524

CODAP® Division 2 : 2010 - Volume 3 - Contents (continued) Pages

Part F FABRICATION (continued)

F14	Titanium and titanium alloys	5525
F14.1	Scope	5525
F14.2	Materials	5525
F14.3	Precautions specific to processing	5525
F14.4	Cutting	5525
F14.5	Plate forming and tube bending	5526
F14.6	Welding	5528
F14.7	Heat treatments	5529
F14.8	Finishing operations	5531
F14.9	Quality of waters to be used	5531
F15	Copper and copper alloys	5533
F15.1	Scope	5533
F15.2	Materials	5533
F15.3	Special precautions for processing	5533
F15.4	Cutting	5533
F15.5	Plate forming	5534
F15.6	Tube bending	5536
F15.7	Welding	5537
F15.8	Heat treatments	5537
F15.9	Finishing operations	5540
F15.10	Quality of waters to be used	5541
F16 to F19	<i>Not allocated in this Division</i>	-
F20	Particular provisions relating to the construction of tubesheet heat exchangers	5543
F20.1	Scope	5543
F20.2	Construction provisions	5543
F20.3	Fabrication	5546

(to be continued)

CODAP® Division 2 : 2010 - Volume 3 - Contents (continued)

Pages

Part F FABRICATION (continued)

Annex FA1	Design of welded joints (Non-mandatory annex)	6001
Annex FA2	Weldability of the different material grades (Informative annex)	6063
Annex FA3	Procedures applicable to welding operations (Mandatory annex)	6221
Annex FA4	<i>Not allocated in this Division</i>	6225
Annex FA5	Qualification of roller expanding procedures (Mandatory annex)	6257
Annex FA6	Qualified roller expanding procedures (Non-mandatory annex)	6263
Annex FA7	Effect of post-weld heat treatment on the mechanical properties of non-alloy, low-alloy and alloy steels (Non-mandatory annex)	6293
Annex FA8	<i>Not allocated in this Division</i>	
Annex FA9	Expansion joint bellows (Mandatory annex)	6307
Annex FA10	Constructions made from steel plates with integral cladding, weld metal overlay cladding or with applied linings made of ferrous or non-ferrous metallic materials (Non-mandatory annex)	6311

|
T
10/12
|

|
T
10/12
|

(to be continued)

CODAP® Division 2 : 2010 - Volume 3 - Contents (continued)		Pages
Part CE	TESTING - PROOF TESTS - INSPECTION	
CE1	TESTING	7001
CE1.1	General	7001
CE1.2	Testing of welded joints on production test coupons	7001
CE1.3	Non-destructive testing	7007
CE1.4	<i>Not allocated in this Division</i>	7009
CE1.5	Supplementary checking	7010
CE2	PROOF TESTS	7011
CE2.1	Strength test	7011
CE2.2	Marking	7015
CE2.3	Supplementary tests	7015
CE2.4	Final checking	7016
CE2.5	Files to be prepared	7016
CE3	INSPECTION	7021
CE3.1	General	7021
CE3.2	Construction supervision	7021

(to be continued)

CODAP® Division 2 : 2010 - Volume 3 - Contents (continued)		Pages
Part CE	TESTING - PROOF TESTS - INSPECTION (continued)	
Annex CEA1	Non-destructive testing of welded joints (Mandatory annex)	7501
Annex CEA2	Visual examination (Mandatory annex)	7563
Annex CEA3	Liquid penetrant testing (Mandatory annex)	7567
Annex CEA4	Magnetic particle testing (Mandatory annex)	7569
Annex CEA5	Radiographic testing (Mandatory annex)	7571
Annex CEA6	Examination by computed radiography with phosphor imaging plates (Non-mandatory annex)	7591
Annex CEA7	Ultrasonic testing (Mandatory annex)	7613
Annex CEA8	Ultrasonic diffraction testing, TOFD technique (Non-mandatory annex)	7515
Annex CEA9	Ultrasonic testing with phased arrays (Mandatory annex)	7635
Annex CEA10	<i>Not allocated in this Division</i>	-
Annex CEA11	AE examination (Non-mandatory annex).	7647
Annex CEA12	Surface condition assessment (Non-mandatory annex)	7669
Annex CEA13	Leak testing (Non-mandatory annex)	7671
Annex CEA14	Calibration (Non-mandatory annex)	7679
Annex CEA15	Extrapolation in the creep range of the nominal design stress defined for normal operating conditions outside the creep range (Mandatory annex)	7681
Annex CEA16	Strength tests on exchangers (Mandatory annex)	7691
Annex CEA17	Recommendations for installation, operation and maintenance of tube exchangers (Non-mandatory annex)	7699
Annex CEA18	Instructions relating to tube exchangers (Non-mandatory annex)	7705